

IGP

HYDRAULICS

FOR HYDRAULIC COMPONENTS



HIGH QUALITY
PRODUCTS AT
REASONABLE PRICES

Pumps, Gear Sets, MRV, Priority Valve, Spools,
Piston Pump Spares, Control Valves etc.



www.igphydraulics.com

**NEED HYDRAULIC PUMP? TRY US !!
WE BUILD AS PER
YOUR REQUIREMENT**

**YOUR SPECIAL HYDRAULIC
PUMP IS OUR STANDARD**

Hydraulic Tandem Pump Gear Set

Application: Hydraulic Tandem Pump gear set used in Hydraulic Pump of Backhoe Loaders, Excavators and Dumpers.



Axial Piston Pump Parts.

Application: Hydraulic system of Agriculture Mining & Material Handling Machineries like Backhoe Loaders & Excavators.

Spool for Control Valves.

Application: : Spools are used for Hydraulic Control Valve for Boom Bucket assembly, Loader assembly, & Stabilizer assembly of Agriculture, Mining, Material Handling & Earth moving Vehicles.



Steering Priority Valves.

Application: Steering priority valves add valuable functionality to Forklift trucks, tractors, telehandlers and backhoe loaders.

Main Return Valve.

Application: Main return valve add valuable functionality of control valves to forklift trucks, tractors, telehandlers & backhoe loaders.



Hydraulic Control Valves.

Application: Hydraulic Control Valve used in hydraulic system of construction, material handling, earth moving & agriculture tractors equipments.

IGP
HYDRAULICS

No.73/6, 22nd cross, Doddana Indl Estate, Peenya 2nd stage, Bangalore - 560091,INDIA

+91 9741920657 | 080-28367309




**SINGLE DELIVERY
HYDRAULIC PUMP**




**TANDEM HYDRAULIC
GEAR PUMP**


IGP
HYDRAULICS
GEAR PUMPS



900 Series Pump




D900 Series Pump



From 16 cc to 41cc

From 27 cc to 60 cc


DT 900 Series Pump



DIMENSIONS in mm									
S/N	IGP CODE	Displacement cm ³ /rev	Pressure bar	Pressure MPa	A	B	C	D	Weight kg
1	DT900	16	25	250	98.5	107.5	240	121.5	24.5
2	DT900	17	25	250	98.5	111.8	240.5	118.8	27.8
3	DT900	17	35	250	98.5	110.2	240.2	118.8	28.2
4	DT900	17	35	250	91.3	108.8	237	118.8	27.5

PORT DETAILS									
S/N	IGP CODE	Displacement cm ³ /rev	Pressure bar	Pressure MPa	PORT	PORT	PORT	PORT	PORT
1	DT900	16	25	250	10000000000	10000000000	10000000000	10000000000	10000000000
2	DT900	17	25	250	10000000000	10000000000	10000000000	10000000000	10000000000
3	DT900	17	35	250	10000000000	10000000000	10000000000	10000000000	10000000000
4	DT900	17	35	250	10000000000	10000000000	10000000000	10000000000	10000000000


T900 Series Pump



DIMENSIONS in mm									
S/N	IGP CODE	Displacement cm ³ /rev	Pressure bar	Pressure MPa	A	B	C	D	Weight kg
1	T900	16	35	250	98.5	107.5	240	121.5	24.5
2	T900	17	35	250	98.5	111.8	240.5	118.8	27.8
3	T900	17	35	250	98.5	110.2	240.2	118.8	28.2
4	T900	17	35	250	91.3	108.8	237	118.8	27.5

PORT DETAILS									
S/N	IGP CODE	Displacement cm ³ /rev	Pressure bar	Pressure MPa	PORT	PORT	PORT	PORT	PORT
1	T900	16	35	250	10000000000	10000000000	10000000000	10000000000	10000000000
2	T900	17	35	250	10000000000	10000000000	10000000000	10000000000	10000000000
3	T900	17	35	250	10000000000	10000000000	10000000000	10000000000	10000000000
4	T900	17	35	250	10000000000	10000000000	10000000000	10000000000	10000000000

T900-S Series Pump



DIMENSIONS in mm									
S/N	IGP CODE	Displacement cm ³ /rev	Pressure bar	Pressure MPa	A	B	C	D	Weight kg
1	T900-S	16	35	250	98.5	107.5	240	121.5	24.5
2	T900-S	17	35	250	98.5	111.8	240.5	118.8	27.8
3	T900-S	17	35	250	98.5	110.2	240.2	118.8	28.2
4	T900-S	17	35	250	91.3	108.8	237	118.8	27.5

PORT DETAILS									
S/N	IGP CODE	Displacement cm ³ /rev	Pressure bar	Pressure MPa	PORT	PORT	PORT	PORT	PORT
1	T900-S	16	35	250	10000000000	10000000000	10000000000	10000000000	10000000000
2	T900-S	17	35	250	10000000000	10000000000	10000000000	10000000000	10000000000
3	T900-S	17	35	250	10000000000	10000000000	10000000000	10000000000	10000000000
4	T900-S	17	35	250	10000000000	10000000000	10000000000	10000000000	10000000000